IER INDUSTRIAL EQUIPMENT RENTAL

INDUSTRIAL EQUIPMENT

RENTAL

14431 State Route 116

P.O. Box 187

Saint Marys, OH 45885

(419) 394-0770

WWW.INDUSTRIALEQUIPMENTRENTAL.NET

WHY RENT WITH IER?

EQUIPMENT

Our fleet is loaded with the newest, most reliable equipment in the industry. The fleet is maintained and inspected by trained technicians to ensure every rental is reliable.

CAPABILITIES

Any piece of equipment, big or small, IER is ready and waiting for you. Our inventory and timesaving delivery system means you get the equipment that you want quickly.

COMMITMENT

Some places claim to be the biggest, but when you consider what IER has to offer…

- Locally owned and operated
- High quality machinery
- Dedicated employees
- Delivery and Pick Up options
- Competitive prices

EARTH MOVING EQUIPMENT

COMPACT TRACK LOADERS

MODEL	NET POWER HP	NET POWER kW	OPERATING WEIGHT LB	OPERATING CAPACITY* LB	GROUND PRESSURE PSI	GROUND PRESSURE kPa
259	71	53	8,934	2,950	6.0	41.2
279	82	61	9,892	3,200	4.0	27.2
289	82	61	10,365	3,850	4.1	28.5
299	90	67	10,730	4,150	4.3	29.6

* At 50% tipping load

Available Work Tools & Attachments: Hydraulic Hammer, Auger, Brush Cutter, Bucket, Forks, Broom, Rockhound, Cold Planer, Trencher, Harley Rack, Grapple, Snow Blower, Snow Blade, Snow Box, Mulcher

MULTI-TERRAIN LOADERS

MODEL	NET POWER HP	NET POWER kW	OPERATING WEIGHT LB	OPERATING CAPACITY LB	GROUND PRESSURE PSI	GROUND PRESSURE kPa
247	56	42	6,997	2,150	4.0	27.3
257	71	53	8,060	2,675	4.5	31
277	82	61	9,495	3,200	3.7	25.5
287	82	61	9,958	3,800	3.9	26.9

Available Work Tools & Attachments: Hydraulic Hammer, Auger, Brush Cutter, Bucket, Forks, Broom, Rockhound, Cold Planer, Trencher, Harley Rack, Grapple, Snow Blower, Snow Blade, Snow Box, Mulcher High Flow Models available.

TELEHANDLERS & FORKLIFTS

MODEL	NET POWER HP	NET POWER kW	OPERATING WEIGHT LB	RATED CAPACITY LB	MAX REACH/DEPTH FT-IN	MAX REACH/DEPTH M
TH255	84	63	10,800	5,500	18'4"	5.6
TL642	99	74.5	20,240	6,500	42'0"	12.8
TL943	99	74.5	26,050	9,000	43'0"	13.1
TL1055	125	93.2	34,910	10,000	55'0"	16.8
TL1255	141	105.1	35,650	12,000	54'6"	16.6
TH407	101/126	74.5/93.1	16,980	8,150	24'0"	7.3
TH514	101	74.5	23,722	11,000	45'0"	13.7
P6000			11,039	6,000	15'6"	4.7

EARTH MOVING EQUIPMENT

EXCAVATORS

MODEL	NET POWER HP	NET POWER kW	OPERATING WEIGHT LB	MAX REACH/DEPTH FT-IN	MAX REACH/DEPTH M
300.9	13	13.7	2,170	10'1"/ 5'8"	3.07/1.73
301.4	17.7	13.2	3,241	12'/ 7'3'	3.7/2.2
301.7	17.7	13.2	3,810	12'1"/ 7'2"	3.7/2.2
302.4	20.7	15.2	5,115	13'2"/ 7'9"	4/2.4
302.7	20.7	15.2	5,681	15'1"/ 8'10"	4.61/2.69
303.5	30	22	7,800	17'10"/ 10'4"	5.4/3.2
304	39	29	8,500	18'4"/ 11'3"	5.6/3.4
305	42	31	11,011	19'7"/ 12'1"	6.0/3.7
305.5	47	35	11,696	20'3"/ 12'8"	6.2/3.9
308	55.6	41.5	18,519	25'0"/ 15'6"	7.6/4.7
312	90	67	30,090	28'3"/ 19'10"	8.6/6.0
314	90	67	32,060	28'4"/ 19'6"	8.6/5.9
316	115	86	38,470	30'3"/ 21'7"	9.2/6.6
320	148	110	47,950	35'2"/ 25'1"	9.86/6.72
321	148	110	53,704	32'1"/ 22'0"	9.75/6.68
324	202	151	59,300	33'2"/ 22'4"	10.11/6.81
328	204	152	76,500	34'8"/ 22'8"	10.56/6.92
329	240	179	68,300	35'/ 23'9"	10.68/7.25
336	316	236	83,100	38'5"/ 26'10"	11.72/8.19
349	425	317	109,100	39'9"/ 26'10"	12.12/8.18
374	476	355	156,819	46'8"/ 31'8"	14.23/9.66
390	523	390	194,500	56'7"/ 38'9"	17.25/11.81

Available Work Tools & Attachments: Demolition Hammer, Plate Compactor, Grapple, Mechanical Thumb, Multi Processor and a varity of bucket sizes.

TRACK- TYPE LOADERS

MODEL	NET POWER HP	NET POWER kW	OPERATING WEIGHT LB	BUCKET CAPACITY YD^3	BUCKET CAPACITY M^3
953	148	110	34,209	2.42	1.85
963	189	141	44,577	3.2	2.45

EARTH MOVING EQUIPMENT

MOTOR GRADERS

	POWER				OP	STANDARD BLADE	
	STANDARD		OPTIONAL		WEIGHT	LENGTH	
MODEL	HP	kW	HP	kW	LB	FT	MM
120M	138-153	103-114	138-182	103-136	31,891	12'	3658
12M	158-173	118-129	158-193	118-144	32,016	12'	3658
140M	183-208	136-155	183-233	136-174	35,708	12'	3658
14M	259-274	193-204	259-294	193-219	46,796	14'	4267
Noram 65	114				16,800	10'	

ASPHALT COMPACTOR

	GROSS POWER		OPERATING WEIGHT	DRUM WIDTH	
MODEL	HP	kW	LB	IN	MM
CB14 XW	21.6	16.1	4,057	39"	1000
CB24	33	24.6	5,952	47"	1200
CB54	137	102	23,818	67"	1700
CB54 XW	137	102	26,230	79"	2000

BACKHOE LOADERS

	NET POWER		OPERATING WEIGHT	DIG DEPTH
MODEL	HP	kW	LB	FT-IN
416	88	65	14,960	14'4"
420/420 IT	93	69	15,201	14'4"
430/430 IT	102	76	16,066	15'5"

WHEEL TRACTOR SCRAPERS

	NET POWER		CAPACITY STRUCK/HEAPED		TOP SPEED LOADED	
MODEL	HP	kW	YD^3	M^3	MPH	KM/H
627	(T) 330/365 (S) 239/266	246/272 178/198	16/22	17-Dec	32	51

EARTH MOVING EQUIPMENT

TRACK-TYPE TRACTORS

MODEL	NET POWER HP	NET POWER kW	OPERATING WEIGHT LB	BLADE
D3K2 XL	74	55.2	17,185	VPAT
D4K2 XL	84	62.6	17,961	VPAT
D4K2 LGP	84	62.6	18,742	VPAT
D5K2 XL	96	71.6	20,741	VPAT
D5K2 LGP	96	71.6	21,347	VPAT
D6K2 XL	125	93.2	28,409	VPAT
D6K2 LGP	125	93.2	29,690	VPAT
D6N XL	150	111.8	36,497	VPAT, SU
D6N LGP	150	111.8	39,112	VPAT
D6T (XL OR LGP)	200	149	44,420- 48,024	S, SU, A, VPAT
D7E XL	235	175	56,669	S, SU, U, A
D7E LGP	235	175	56,669	S, SU, U, A
D8T	310	231	84,850	SU, U, A
D9T	410	306	105,600	SU, U

Accugrade models available. Some winch and ripper ready.

SKID STEER LOADERS

MODEL	NET POWER HP	NET POWER kW	OPERATING WEIGHT LB	OPERATING CAPACITY LB
226	56	42	5,822	1,500
236	71	53	7,007	1,950
242	71	3	7,008	2,150
246	73	54	7,480	2,150
252	71	53	7,861	2,650
256	82	61	7,665	2,350
262	82	61	7,968	2,700
272	90	67	8,362	3,250

Available Work Tools & Attachments: Hydraulic Hammer, Auger, Brush Cutter, Bucket, Forks, Broom, Rockhound, Cold Planer, Trencher, Harley Rack, Grapple, Snow Blower, Snow Blade, Snow Box, Mulcher High Flow Models available.

EARTH MOVING EQUIPMENT

WHEEL LOADERS & INTEGRATED TOOLCARRIERS

MODEL	POWER HP	POWER kW	OPERATING WEIGHT LB	BUCKET CAPACITY YD^3	BUCKET CAPACITY M^3
906	70	52	12,412	1.18	0.9
907	70	52	12,809	1.3	1
908	80	59	14,252	1.4	1.1
910	97	92	15,714	1.7	1.3
924	139	104	25,644	2.2-3.6	1.7-2.8
930	161	120	28,725	2.6-6.5	2.1-5.0
938	180	134	33,190	3.0-7.2	2.3-5.5
950	197	147	40,435	3.25-12.0	2.5-9.20
966	276	206	51,176	3.25-12.0	2.5-9.20
972	288	215	57,770	3.75-13.0	2.90-9.90
980	349	260	67,294	5.25-16	4.0-12.20
988	501	373	110,549	8.3-10.0	6.7-7.7
IT14	96	72	18,629	1.57-1.83	1.2-1.4
Available Work Tools & Attachments: Variety of Forks, Brooms, and Buckets.					

ARTICULATED TRUCKS

MODEL	POWER HP	POWER kW	OPERATING WEIGHT EMPTY LB	BODY CAPACITY TONS	BODY CAPACITY M/TON
725	304	227	49,075	26	23.6
730	321	239	50,375	31	28.1
735	447	333	71,591	36	32.7
740	484	361	75,824	43.5	39.5
725 Water Wagon				5,000 Gallon	
Hydrema 912 HM	176	131	17,747	10,000 kg payload capacity	

GENERAL CONSTRUCTION EQUIPMENT

SCISSOR LIFTS

DESCRIPTION	WORKING HEIGHT	DESCRIPTION	WORKING HEIGHT
19' Electric Scissor	25'	32' Electric Scissor	38'
20' Electric Scissor	26'	32' Rough Terrain Scissor	38'
26' Electric Scissor	32'	43' Rough Terrain Scissor	49'
26' Wide Electric Scissor	32'		

BOOM LIFTS

DESCRIPTION	WORKING HEIGHT	DESCRIPTION	WORKING HEIGHT
30' Electric Articulated Boom	36'	40' Telescopic Boom	46'
34' Electric Articulated Boom	40'	60' Telescopic Boom	66'
40' Electric Articulated Boom	46'	80' Telescopic Boom	86'
45' Electric Articulated Boom	51'	85' Telescopic Boom	91'
34' Articulating Boom	34'	65'/66 Telescopic Boom	71-72'
45' Articulating Boom	51'	120' Telescopic Boom	126'
60' Articulating Boom	66'	135' SJP w/SkyPower	141'
80' Articulating Boom	86'	150' Telescopic Boom	150'

Available with 4-wheel drive, Diesel, Dual Fuel. SkyPower and Welder available on select models.

GENERAL CONSTRUCTION EQUIPMENT

SOIL COMPACTORS

MODEL	POWER HP	POWER kW	OPERATING WEIGHT LB	BLADE WIDTH OVER END BITS IN	BLADE WIDTH OVER END BITS MM
815	232	173	47,877	12'4"	3761
825	354	264	72,164	15'1"	4628

SINGLE DRUM

SOIL COMPACTORS

MODEL	POWER HP	POWER kW	OPERATING WEIGHT LB	DRUM WIDTH IN	DRUM WIDTH MM
CS323	83	62	9,680	50"	1270
CP323	83	62	10,440	50"	1270
CS44	100	75	15,961	66"	1676
CP44	100	75	16,832	66"	1676
CS56	156	116	25,885	84"	2134
CP56	156	116	25,765	84"	2134
RT 82 Trench Roller (Pad Foot)				33"	

LIGHT TOWERS

MODEL	HEIGHT	LIGHTS	TANK CAP	RUN TIME	WATTAGE
NL Pro II	30'	4	30 gal	65 hours	1250
ML20	30'	4	50 gal	100 hours	1250
MLT3060	30'	4	30 gal	60 hours	1000

GENERAL CONSTRUCTION EQUIPMENT

AIR COMPRESSORS

TYPE	DESCRIPTION
Atlast Copco 185 CFM	Air Compressor
Atlast Copco 375 CFM	Air Compressor
Atlast Copco 750 CFM	Air Compressor
20 lb	Chipping Hammer
30lb	Jack Hammer
60lb	Jack Hammer

ONE MAN LIFTS/ VERTICAL MAST LIFT

DESCRIPTION	WORKING HEIGHT
GR15	20'8"
AWP30	30' Platform

TRENCHERS - RIDE ON

TYPE	HP
RT450 Rubber Tired	46
RTX450 Rubber Track	41

TRENCH SHORING

ITEM	DIMENSIONS
Steel Trench Boxes	8'x 12', 16', 20', 24'
Bedding Boxes	7, 9, and 12 yd^3
Manhole Boxes	8', 10', 12'
Aluminum Boxes	6'x 8', 8' x 8', 8'x 10'
Street Plates	Various sizes

Trench boxes available in stacker unites

GENERATORS

DESCRIPTION
5.6 kW through 37kW

WELDERS TOWABLE

TYPE	DESCRIPTION
Welders (Towable)	400 Amp

GENERAL CONSTRUCTION EQUIPMENT

PUMPS

TYPE	DESCRIPTION
Towable Water Pumps	2"-12" pumps
Submersible Pumps	2"-4" pumps
Trash Pumps	2"-4" pumps
Dewatering Pumps	2"-12" pumps
Electric Drive Self Priming Pumps	3"-6" pumps
Mud Pumps	4" & 6" pumps
Hydraulic Submersible Pumps	6" pumps
Electric Submersible Pumps	3"-8" pumps
Submersible Pumps	2"-6" hoses
Trash Pumps	2"-6" hoses

TRUCKS

TYPE	DESCRIPTION
Water Truck	2,000-4,000 gallons
Dump Truck	6 yrd^3, manual 6 speed
Stake Bed Truck	F550, crew cab, 4x4

BROCE BROOMS

MODEL	HP
BB250B	33
CR350 (Ride On)	82
MK-1	97

MISCELLANEOUS

Automated Flaggers	Rammers
Concrete Buggies	Snow Boxes
Crushing/ Screening Buckets	Straw Blowers
Electric Breakers	Trailers
Equipment Mats	Utility Carts
Ground Heaters	Wood Chipper
Plate Tamps	

RENTAL POWER

POWER

TYPE	
30kW	300kW
40kW	400kW
80kW	800kW
100kW	1250kW
150kW	1750kW
230kW	2000kW

CHILLERS

TYPE	
30 Ton Air Cooled	250 Ton Air Cooled
50 Ton Air Cooled	300 Ton Air Cooled
100 Ton Air Cooled	400 Ton Air Cooled
150 Ton Air Cooled	500 Ton Water Cooled
200 Ton Air Cooled	525 Ton Water Cooled

HEATERS

TYPE	
Direct Fired	Make -Up Air
Electric	Maxi Heater
Indirect Fired	

AIR CONDITIONERS

TYPE	
1-5 Ton	30 Ton
12 Ton	30 Ton (Optional Heater Attachment)
20 Ton (Entertainment Unite)	

AIR COMPRESSORS

TYPE	
375 cfm Diesel	1600 cfm Diesel
750 cfm Diesel	1550 Oil- Free
900 cfm Diesel	